THELINUX FOUNDATION

Introduction

Name: Girish L Location: Tumkur, Karnataka, India

University: Channabasaveshwara Institute of Technology, Karnataka, India Mentor: Gabriel (Yang) Yu, Bottlenecks Project OPNFV Project: Bottlenecks



Project overview:

- > Many artificial intelligence approaches and applications are used to optimize testing resources, predicting system behavior, tuning performance, etc.
- > These approaches are used in various processes or phases of testing, quality and reliability engineering in terms of load generation, result pre-processing, automation testing, result analysis, predicting, tuning and report generation, etc.



Frameworks and Tools Used:

- Scikitlearn: Open Source machine learning library for the Python programming language. It features various classification, regression and clustering algorithms.
- > Keras: is a high-level neural networks API, written in Python and capable of running on top of TensorFlow.
- TensorFlow: is an open source software library for high performance numerical computation. Its flexible architecture allows easy deployment of computation across a variety of platforms (CPUs, GPUs, TPUs).
- Jupyter Notebook: It is an interactive computational environment, in which you can combine code execution, rich text, mathematics, plots and rich media.

THELINUX FOUNDATION

Project Objectives:

- I. To investigate the applications of AI within testing scope comprehensively.
- 2. To provide report /suggestions of how to incorporate AI into testing for Bottlenecks.
- 3. To build an application/design of AI in testing for Bottlenecks to Analyse/Detect/Predict based on some sample result.



Investigation of Artificial Intelligence in Testing and its Results Analysis Project Deliverables:

- Comprehensive report on AI in testing for Bottlenecks.
- 2. The list of possible tools and framework that can be used for implementing Al in testing for Bottlenecks.
- 3. Results and inferences on event correlation, anomaly detection and failure prediction on bottlenecks sample test dataset.



Bottleneck Test case – TC3 Perform Life cycle Events for ping

- This test case dataset was downloaded from the OPNFV testing database by using the REST API GET <u>http://testresults.opnfv.org/test/api/v1/results?project=bottlenecks&case_name=posca_factor_ping</u>
- The dataset consist of seven important attributes, start_date, stop_Date, duration_time, success_time, success_rate, no_of _stacks and results.

Applications of AI in NFV testing environment

- Fault localization and diagnosis,
- Anomaly Detection,
- Test Case optimization,
- Root Cause Analysis,
- System Identification,
- Network fault prediction,
- Data center energy conservation analysis, etc.

Type 1 Start **Testing Flow** run tick nitial stress test destro Increase load Bottlenecks Yards in Run in parallel load Mana Criteria Che parallel Iterate Time ends or Fail If VMs successly built Quota Field Value If VMs successly built _____ instances -1 floatingip cones If VMs successly built -1 network ran floating_ips port -1 If VMs successly built fixed_ips rbac_policy 10 Visualization netadata_items -1 router injected_files 1000 security_group If VMs successly built njected_file_co security_group_rule | 1000 injected file path -1 key pairs security_groups subnetpool -1 security group ruli ------server_groups 10 server_group_members Quotas T₆? an not determine the exact time for expected number of VIV

Bottleneck Life cycle for Ping- Test case

THELINUX FOUNDATION

The Linux Foundation Internal Use Only

1/4/19 7

TC3 – Perform life-cycle events for ping

Project Execution in A-D-P pattern

| Analysis | Event Correlation Analysis Trend Analysis Pattern Analysis | Correlating the events received from the network and cloud system helps in identifying the relationships between the events. Al pattern recognition features will identify and predict performance bottlenecks. Trends indicate a slow change in the behaviour of a variable in time, in its average over a long period. The identified trends can be used to predict the future network statistics. |
|------------|--|--|
| Detection | Anomaly Detection & Diagnosis | Anomaly detection in traditional approach is done through heartbeat or status check. AI works well with diagnosing anomalies in test data well advance . |
| Prediction | Failure Prediction | Predicting impending malfunctions in NFV (cloud) environment is hard. Trying to induce them in a system test is even harder. AI can build a usage model for an application under test which can be iteratively applied to predict future behaviour. |

THELINUX FOUNDATION

Event Correlation Analysis

Correlation is a linear association between two random variables.

Event Correlation in OPNFV testing projects

- The important problem in virtualized environment is handling the faults.
- Examples of these faults are: bottlenecks, virtual machine crashes, and hardware failure and overload conditions.
- Correlation analysis helps in reasoning the VM or VNF test performance faults.
- Example: The throughput, at a particular duration, in the test is low due to low CPU utilization reaching 100% (or CPU availability going to 0).





Anomaly Detection

An anomaly is an observation or event that deviates qualitatively from what is considered to be normal.

Anomaly in OPNFV testing projects

- Traditional anomaly detection approaches heartbeats or status request.
- These methods only detect faults after they occur.
- Detecting and handling such anomalies can avoid faults before they happen and this will increase system throughput.
- Artificial intelligence algorithms provide the means to learn from historical observations and use this knowledge to get predictions about the future.

| ANOMALY ANOMALY | |
|--------------------|--|
| TIME | |

| | precision | recall | f1-score | support | |
|---------------|--------------|--------------|--------------|-----------|--|
| 0 1 | 0.86 1.00 | 1.00 0.15 | 0.92 0.26 | 166 33 | |
| avg / total | 0.88 | 0.86 | 0.81 | 199 | |
| 0.85929648241 | 12 | | | | |

Accuracy of SVM

recall f1-score precision support 1.00 0.99 1.00 168 0 1 0.97 1.00 0.98 31 avg / total 1.00 0.99 1.00 199 0.994974874372

Accuracy of Random Forest

THELINUX FOUNDATION

Failure Prediction

- Failure prediction system help the Cloud/NFV system to avoid the unexpected failure in advance.
- User/admin can define what failure should be detected and which data is used for prediction. The predictor will perform corresponding predictions.



THELINUX FOUNDATION

Investigation of Artificial Intelligence in Testing and its Results Analysis Recommendations for Future Work:

- In this work, we have made an effort to use artificial intelligence techniques to analyze the test results of OPNFV testing project like bottlenecks.
- We can also extend the experiments to other OPNFV testing projects like Functest, Yardstick and Vsperf.
- Since, Artificial Intelligence is a very promising technique to achieve the better performance in testing, we plan to continue the work to carry out different experiments on testing and draw inferences from these experiments to improve the results.

THELINUX FOUNDATION

Thank you

